






Q701
Edition 1-AMS (First Printing, 2-62)

Prepared by the Army Map Service (BVMR), Corps of Engineers, U. S. Army, Washington, D. C.
Compiled in 1958. Stockton Islands compiled by photogrammetric methods. McClure Islands and coastal hydrography compiled from USC&GS Chart 9473 dated 1956. Horizontal and vertical control by USC&GS and 66th Engr Bn (Base Topo). Photography partially field annotated 1955.



MAXIMUM ELEVATION LESS THAN 50 FEET
VERTICAL DATUM: APPROXIMATE MEAN SEA LEVEL

TRANSVERSE MERCATOR PROJECTION
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM

HYDROGRAPHIC DATUM: SOUNDINGS IN FATHOMS REFERRED TO MEAN LOWER LOW WATER

BLACK NUMBERED LINES INDICATE THE 1,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 6
THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OMITTED

USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D. C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED


GRID ZONE DESIGNATION: 6W		TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS	
100,000 M. SQUARE IDENTIFICATION		SAMPLE POINT: 	
VP VN 7900 300		1. Read letters identifying 100,000 meter square in which the point lies:	
		2. Locate first VERTICAL grid line to LEFT of point and read LARGE figures labeling the line either in the top or bottom margin, or on the line itself:	
		3. Estimate tenths from grid line to point:	
		4. Locate first HORIZONTAL grid line BELOW point and read LARGE figures labeling the line either in the left or right margin, or on the line itself:	
5. Estimate hundredths from grid line to point:		VP	
100,000 M. SQUARE IDENTIFICATION		87	
100,000 M. SQUARE IDENTIFICATION		8	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	
100,000 M. SQUARE IDENTIFICATION		04	

TO CONVERT A MAGNETIC AZIMUTH TO A GRID AZIMUTH
ADD G-M ANGLE

TO CONVERT A GRID AZIMUTH TO A MAGNETIC AZIMUTH
SUBTRACT G-M ANGLE

1960 ANNUAL MAGNETIC CHANGE IS NEGLIGIBLE

GW 2-62 PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS



FILE COPY
OCT 4 1962
MAP INFORMATION OFFICE