



PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 12-57, 779483

RELIABILITY DIAGRAM

GRID ZONE DESIGNATION:
1GT

10,000 M. SQUARE IDENTIFICATION

DF	EF
DE	EE

500

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: HILAND VENE

1. Read letters identifying 100,000 meter square in which the point lies.
2. Locate first **VERTICAL** grid line to LEFT of point and read **SIXING** figures labeling the value either on the top or bottom margin, or on the line itself.
3. Estimate tenths from grid line to point.
4. Locate first **HORIZONTAL** grid line **BELOW** point and read **LARGE** figures labeling the line either on the left or right margin, or on the line itself.
5. Estimate tenths from grid line to point.

IGNORE THE SMALLER FIGURES for any grid number: these are for finding the full coordinates. Use ONLY the LARGER FIGURE of the grid number; example:

490000

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE REFERENCE:

100 meters beyond 1GT in line direction, grid: **Grid Zone Designation, as:**

DFR554
1GTDFR554

Geod

Photograph

DF

EF

DE

EE

500

A. Medium scale hydrographic chart, 1954

1. Stores captured from 1953 aerial photography

United States. Topo. 1:250,000.

about same height

ESCANABA, MICHIGAN, WISCONSIN

SERIES V501
SHEET NL 16-8
EDITION 1-AMS